

Since 1961

TINTA UNITA

L'esplosione di tonalità e colore in bicottura atomizzata! Tinta Unita è una collezione disponibile in uno dei formati più di moda, il 20x20 cm. I vari colori, tonalità e finiture ne fanno un'eccellente soluzione per creare ambienti personalizzati in cui poter riscoprire lo spazio a propria immagine e gusto. Soddisfa le esigenze estetiche dei più fantasiosi anche per installazioni di tipo commerciale.

A wide range of colors and tones in atomized double-fired tiles! Tinta Unita is a collection available in a trendy size, 20x20 cm (8"x8"); in a broad selection of colors and nuances with two finishes (glossy and matte). Ideal for customized solutions where to express one's own image, taste and fantasy, even for commercial installations.




TINTA UNITA


20x20 8"x8"

RIVESTIMENTO IN BICOTTURA ATOMIZZATA
 ATOMIZED DOUBLE-FIRED WALL TILE
 REVÊTEMENT ATOMISÉ EN BICUISSON
 ATOMIZIERTEN ZWEIBRANDVERFAHREN WANDFLIESE


COLORI • COLORS • COULEURS • FARBEN




Bianco Matt



Bianco Lux



Beige Matt



Beige Lux



Grigio Matt



Grigio Lux



Nero Matt



Giallo Lux




Ondulato Bianco



TINTA UNITA

TINTA UNITA MATT



302789/18 1 ■
Bianco Matt
20x20 8"x8"



302790/20 24 ■
Beige Matt
20x20 8"x8"



302795/20 24 ■
Grigio Matt
20x20 8"x8"



302796/28 86 ■
Nero Matt
20x20 8"x8"

TINTA UNITA LUX



302797/18 1 ■
Bianco Lux
20x20 8"x8"



302798/20 24 ■
Beige Lux
20x20 8"x8"



302803/20 24 ■
Grigio Lux
20x20 8"x8"



302801/20 24 ■
Giallo Lux
20x20 8"x8"



302809/18 1 ■
Ondulato Bianco
20x20 8"x8"

PESI E MISURE / WEIGHT AND SIZES / POIDS ET MESURES / GEWICHTE UND VERPACKUNGEN								
dimensioni sizes dimensions abmessungen	spessore thickness épaisseur stärke	pz/collo pcs/box pc/boite stk/ktn	mq/collo sqm/box m/boite qm/ktn	kg/collo kg/box kg/boite kg/ktn	coll/pallet box/europal boites/europal ktn/europal	mq/pallet sqm/pallet m/pallet qm/pallet	kg/europal kg/europal kg/europal kg/europal	
Fondo 20x20 Matt/Lux	7,2 mm	35	1,40	15,00	76	106,40	1160	

CARATTERISTICHE TECNICHE • TECHNICAL FEATURES

BICOTTURA ATOMIZZATA • ATOMIZED DOUBLE-FIRED WALL TILE
REVÊTEMENT ATOMISÉ EN BICUISSON ATOMISIERTES • ZWEIBRANDVERFAHREN
UNI EN 14411 BIII ALLEGATO L (ISO 13006)

Caratteristica tecnica Technical feature Caractéristique technique Technische eigenschaft	Norma Norms Norme Norme	Valore richiesto dalle norme Required standards Valeur prescrite par les normes Normvorgabe		TINTA UNITA
Caratteristiche di regolarità Regularity characteristics Caractéristiques de régularité Regelmäßigkeit	UNI EN ISO 10545-2	Lunghezza e larghezza / Lenght and width Longuer et largeur / Länge und breite	± 0,5%	Conforme Corresponding Conforme Entsprechend
		Spessore / Thickness Epaisseur / Stärke	± 10%	
		Ortogonalità / Rectangularity Orthogonalite / Rechtwinkligkeit	± 0,50%	
		Planarità / Lenght and width Longuer et largeur / Ebenflächigkeit	- 0,30% + 0,50%	
Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme	UNI EN ISO 10545-3	> 10		15%
Resistenza alla flessione Bending strength Résistance à la flexion Biegefestigkeit	UNI EN ISO 10545-4	≤ 7,5 mm > 7,5 mm		15 N/mm ² 12 N/mm ²
Coefficiente espansione termica lineare Thermal expansion coefficient Coefficient de dilatation linéaire Koeffizient der linearen thermischen Dehnung	UNI EN ISO 10545-8			Conforme Corresponding Conforme Entsprechend
Resistenza al cavillo Crazing resistance Résistance au tressillage Haarißbeständigkeit	UNI EN ISO 10545-11	Richiesta Requested Demandée Gefragt		Conforme Corresponding Conforme Entsprechend
Resistenza agli sbalzi termici Thermal shock resistance Résistance aux écarts de température Temperaturwechselbeständigkeit	UNI EN ISO 10545-9			Conforme Corresponding Conforme Entsprechend
Resistenza agli acidi Chemical resistance Résistance à l'attaque chimique Beständigkeit gegen Chemikalien	UNI EN ISO 10545-13			Conforme Corresponding Conforme Entsprechend
Resistenza alle macchie Staining resistance Résistance aux taches Widerstand gegen fleckenbildung	UNI EN ISO 10545-14	Classe 3 Class 3 Classe 3 Klasse 3		Conforme Corresponding Conforme Entsprechend



Antica Ceramica Rubiera S.r.l.

Via Salvaterra, 18/A - 42048 Rubiera (RE) - ITALY

Tel. +39 0522 628841 - Fax +39 0522 628976

www.anticaceramica.it - info@anticaceramica.it

Seguici su: 